


**Drilling motors – Technical data**


<b>Motor specifications (PH-800-670-40)</b>		
	Imperial	Metric
Tool OD	8"	203 mm
Recommended bit size	9 7/8" - 12 1/4"	251 - 311 mm
Weight	3,196 lbs	1,450 kg
Length	23.3 ft	710 cm
Lobe configuration	6/7 lobe	
Number of stages	4.0 stage	
Bit speed at full load	80 - 240 rpm	
Flow rate	290 - 900 gpm	1,100 - 3,400 l/min
Maximum torque	4,905 ft-lbs	6,650 Nm
Maximum power	208 hp	153 kW
Bit to bend	90"	2,305 mm
Diff. pressure at full load	478 psi	33 bar
Maximum WOB	80,000 lbs	36,287 kg
Maximum pull to re-run motor	275,000 lbs	124,737 kg
Top connection (Box)	6 5/8" reg.	
Bit connection (Box)	6 5/8" reg.	

**Predicted build radius (m)**

<b>Bend angle</b>	<b>Slick bearing housing</b>		
	Hole size		
	9 7/8"	10 5/8"	12 1/4"
0.31			
0.62			
0.93	1400		
1.22	500	1200	
1.50	310	490	
1.76	230	310	1300
2.00	180	230	550
2.23	150	190	350
2.42	140	160	270
2.60	120	150	220
2.74	120	130	200
2.85	110	130	180
2.93	110	120	170
2.98	100	120	160
3.00	100	120	160

